



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 6 Issue: V Month of publication: May 2018

DOI: http://doi.org/10.22214/ijraset.2018.5145

www.ijraset.com

Call: © 08813907089 E-mail ID: ijraset@gmail.com



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 6.887

Volume 6 Issue V, May 2018- Available at www.ijraset.com

Multi Criteria Decision Making (MCDM) Methods and its applications

Girish P Bhole¹, Dr. Tushar Deshmukh²

^{1, 2}Mechanical Engineering Department, Sant Gadge Baba Amravati University, Amravati, India.

Abstract: Multi Criteria Decision Making (MCDM) is the quantitative and qualitative method, problem has many solution but to find the solution and to get the appropriate decision regarding the solution is the application of MCDM. This paper gives the information about all the MCDM methods with the applications of maximum MCDM methods to various fields as per the literature. The aim is revel MCDM methods and their applications to understand the nature of MCDM for various problems. The utilization of MCDM to other field gives an idea for the new research area. The review helps to find the problems studied by different researcher and the solution they interpreted by using MCDM methods like ELECTRA, PROMETHEE, TOPSIS, AHP,GP etc. AHP, TOPSIS, MAUT were the most used methods but hybrid or integrated methods gives the solution for problem like location, finance, bankrupt, construction bridges, waste water and many more. This combination creates the new era in MCDM history.

Keywords: MCDM, AHP, TOPSIS, PROMETHEE, ELECTRA, GP, MAUT/MAVT, review

I. INTRODUCTION

MCDM is a technique that associate the alternative decision with qualitative and quantitative results in a compact solutions. These methods can be used for numerous problems encountered in industries and our life to get the sets of decision. MCDM is the decision-making technique used from many decades to judge different alternatives such as policy, strategy, choice get the solution of problems. The journey of MCDM is very old but the development started from 1940s and the 1950s, in 1944 Von Neumann and Morgenstern introduced the utility theory, which become a major procedural streams for modern decision science. The work continue to develop right from goal programming[19]. [18] extended utility theory and [87] form the school of MCDA. The MCDA is now applied to real world problem. The contributions of researcher gives the way to advance computing and develop the user friendly decision making support system. [16-19]

There are many problems in the world's and MCDM is the tools to get the optimize solution of it. Many books were published on MCDM [2-6] to understand the methods and their procedure easily. [52] used AHP to get optimal solution for highway traffic signals. The tool MCDM is being used by many researchers in decision-making process to ensure the most appropriate alternative. They applied MCDM in many ways like [32,122], take the benefits of MAUT and TOPSIS to select the location of land, [54,110,163],uses DEA, Fuzzy GP, VIKOR for waste treatment.[65] applied CBR for finding bankrupt. [56,148,150] applied AHP, VIKOR for health monitoring system and health care system. [202] made a hybrid method by combining three methods including Affinity Diagram, AHP and fuzzy TOPSIS for the improvement of city sustainability by evaluating four city logistics initiatives. For project selection, applied AHP and ANP combination give the decision of project investment studied by [201]. The most famous tool of the multi-criteria decision making methods is the MAUT, AHP, and in recent combination of methods and fuzzy based decision are the methodology for solving complex decisions. It can be applied to business, real life problems, portfolio, governmental sectors and many more.

The paper aims to reveal most of the Decision Making methods and the study on these methods, like their classifications, strength, applications etc. The review got many research papers on MCDM who discuss and reveal the strength of the MCDM more clearly and prove the area where MCDM can be used like, supplier selection, supply chain management, health monitoring system, Infrastructure, waste management, strategic management, production management, location selection and many more.

A. MCDM Methods and their Classifications

Your paper must use a page size corresponding to A4 which is 210mm (8.27") wide and 297mm (11.69") long. The margins must be set as follows. MCDM is a potential tool for analysing complex problem by judging different alternatives like policy, scenario, strategy, weightage etc. on various criteria for selecting the best alternative using the mathematical calculation. There are various types of MCDM methods available in the literature. The characteristics of each method is different and it is classify as deterministic, stochastic, or fuzzy MCDM methods and many more [1]. There are number of MCDM methods like [1-16]


TOTAL TOTAL

International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 6.887 Volume 6 Issue V, May 2018- Available at www.ijraset.com

- 1) Aggregated Indices Randomization Method (AIRM)
- 2) Analytic hierarchy process (AHP)
- 3) Analytic network process (ANP)
- 4) Data Envelopment Analysis (DEA)
- 5) Best worst method (BWM)
- 6) Characteristic Objects METhod (COMET)
- 7) Choosing By Advantages (CBA)
- 8) Data envelopment analysis
- 9) Decision EXpert (DEX)
- 10) Disaggregation Aggregation Approaches (UTA, UTAII, UTADIS)
- 11) Rough set (Rough set approach)
- 12) Dominance-based rough set approach (DRSA)
- 13) ELECTRE (Outranking) Elimination and Choice Translating Reality
- 14) Evaluation Based on Distance from Average Solution (EDAS)[34]
- 15) Evidential reasoning approach (ER)
- 16) Goal programming (GP)
- 17) Grey relational analysis (GRA)
- 18) Inner product of vectors (IPV)
- 19) Measuring Attractiveness by a categorical Based Evaluation Technique (MACBETH)
- 20) Multi-Attribute Global Inference of Quality (MAGIQ)
- 21) Multi-attribute utility theory (MAUT)
- 22) Multi-attribute value theory (MAVT)
- 23) New Approach to Appraisal (NATA)
- Non structural Fuzzy Decision Support System (NSFDSS)
- 25) Potentially All Pairwise Rankings of all possible Alternatives (PAPRIKA)
- 26) PROMETHEE (Outranking) Preference Ranking Organization Method for Enrichment
- 27) Evaluation
- 28) Stochastic Multi criteria Acceptability Analysis (SMAA)
- 29) Superiority and inferiority ranking method (SIR method)
- 30) Technique for the Order of Prioritisation by Similarity to Ideal Solution (TOPSIS)
- 31) PROMETHEE: PROMETHEE (Preference Ranking Organization METHod for Enrichment Evaluations)
- 32) Value analysis (VA)
- 33) Value engineering (VE)
- 34) VIKOR method (VlseKriterijumska Optimizacija I Kompromisno).
- 35) WSM: Weighted Sum Model
- 36) Weighted Product Model (WPM)

As per the literature methods which are mostly used in study are AHP, ANP, ELECTRE, GP, MAUT, MAVT, PROMETHEE, TOPSIS, WSM. The MCDM method is divided in to three different categories [1, 2, 10]. As Shown below.





ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 6.887 Volume 6 Issue V, May 2018- Available at www.ijraset.com

- 37) Unique synthesis criterion approach: It consists of accumulating all dissimilar interpretation into a unique function, which will optimized. Methods came under this categories are, MAUT [11], SMART family [12] and AHP [13], TOPSIS, etc.
- 38) Outranking synthesis approach: It aims in the improvement of a relation therefore known an outranking relationship, it gives the preference to the decision-makers, based on information available to explored solution of his/her problems. Like: ELECTRE [1,2,10-14] and PROMETHEE [1,2,10-14].
- 39) Interactive local judgment approach: This method proposes alternate calculation steps with developed linear programming way with multi objective to get successive compromising solutions. These methods are clearly superior for decision makers due to interactive and successive evaluation of the solution using mathematical calculation and programming tools to get the appropriate decision [1,2,10,12,14,16].

During literature review it is found that decision making techniques can be utilized by analysis of alternatives i.e. number of alternatives and options then determining the relevant criteria and alternatives to get the numerical measures with the relative importance to the criteria and find the impact of the alternatives on these criteria and finally process the numerical values to determine a ranking of each alternative

II. MCDM METHODS AND THEIR APPLICATIONS

In the previous article it is seen that there are various methods of MCDM, the important methods which are more active from last decades are discuss below.

A. Multi-Attribute Utility Theory(MAUT)

MAUT was proposed by [24] and developed by using a quasi-additive and multi-linear utility function. [18,25,27] developed this method and make this method as most operated method. The method is developed to handle multiple objectives, intangible factors, risk, qualitative data and time sequence effects in ex-ante appraisals based on the decision-maker's preferences [28]. To steps for MAUT are as follows[28]:

Step: 1 sets the project alternatives.

Step:2 sets the probability distribution for outcomes associated with each alternatives for each attributes.

Step:3 to set the utility function for the range of outcomes on each attributes.

Step:4 uses the global function to fond the expected utility of each alternatives.

Step:5 chose the combination with highest expected utility; goes up to the function U maximized.

B. Analytical Hierarchy Process (AHP)

Your paper must use a page size corresponding to A4 which is 210mm (8.27") wide and 297mm (11.69") long. The margins must be set as follows:

Top = Bottom = 19mm (0.75")

Left = Right = 14.32mm (0.56")

AHP is a similar and popular method like MAUT/MAVT proposed by [44] it is basically a pairwise comparison-based method. This MCDM method formulate the problem as hierarchy by including several stages. First stage is the goal, second is decision criteria and then the sub criteria and at last it shows the alternatives. Each stage is compared pair wise that's why it is known as pair wise comparison method. Another MCDM Method named Analytic network process (ANP) [45]this method is formed to use where AHP is insufficient to get alternatives there ANP can be used as it explain the interlinking of the problems between the criteria. In both the method AHP/ANP a scale of 1-9 is used to compare the alternatives. AHP is further lined with Fuzzy AHP which gives the much more important variables to get the alternatives based on their corresponding fuzzy numbers [46,47,48,49] and even fuzzy ANP [50,51] combined AHP MAUT and formed a theorem that the two MCDM techniques resulted in a consistent preference structure. It's main aim to focus on creating a language that easily compared techniques and provided a scaling technique. [70] uses AHP in combination with the Balanced Scorecard (BSC) and formed a framework which reveals the necessary criteria and alternatives, here AHP was used in comparisons, weighting, and rankings. The paper find better raking when combination is used.

Step to apply the AHP method is as follows.

- Step 1. Multiply each value in the first column of the pairwise comparison matrix by corresponding relative priority matrix.
- Step -2. Repeat Step -1 for remaining columns.
- Step -3. Add the vectors resulted from step-1 and 2.
- Step 4. Divide each elements of the vector of weighed sums obtained in step 1-3 by the corresponding priority value.
- Step 5. Compute the average of the values found in step –4. Let λ be the average.



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 6.887 Volume 6 Issue V, May 2018- Available at www.ijraset.com

Step – 6. Compute the consistency index (CI), which is defined as $(\lambda - n) / (n-1)$.

Compute the random index, RI, using ratio:

RI = 1.98 (n-2)/n

Accept the matrix if consistency ratio, CR, is less than 0.10, where CR is

CR = CI / RI

Consistency Ratio CR = (CI/CR)

If the Consistency Ratio (CI/CR) <0.10, so the degree of consistency is satisfactory. The decision maker's comparison is probably consistent enough to be useful.

In AHP, several products and alternatives are evaluated, and by means of pair comparisons, the weight of each evaluation item and the evaluation values for each product and alternatives are found for each evaluation item, but the results of pair comparisons are not 0,1, but rather the degree is given by a numerical value. In fuzzy AHP, the weight is expressed by possibility measure or necessary measure, and in addition, the conventional condition that the total of various weights be 1 is relaxed.

Intensity of Importance Definition 1 Equal importance 3 Weak importance of one over other 5 Strong Importance 7 Demonstrated Importance 9 Absolute Importance 2,4,6,8 Intermediate Values Reciprocals of the If activity i has one of the above numbers assigned to it when compared with activity j, then j has the reciprocal value when compared with i. above

TABLE I SCALE USED FOR PAIR WISE COMPARISON

C. Case Based Reasoning (CBR)

1.1 - 1.9

[61]proposed a method in which solutions of past problems are considered to solve the new problems. It is a prominent type of parallel solution making method. It is considered as the powerful method for computer reasoning. The CBR involves four stages.

When elements are close and nearly indistinguishable

Retrieve: - the target problem and to find the most similar case.

Reuse: - to map the past case with the new one to get the solution.

Revise: - after applying the previous solution test the problem for the real solution and if needed revise it.

Retain: - make the new solution a part of the new case

D. Data Envelopment Analysis (DEA)

[71] proposed DEA in Royal statistical society. [72] state that it is a non-parametric method in economics and operation research and mostly used in measuring production efficiency. DEA is based on linear programing method and used for production and cost data. DEA is a tool for estimating the efficiency of a system in a non-parametric framework.

DEA gives a better model of road safety [73],[74] uses DEA for examine the efficiency of rice farmer in west Bengal.

Following equation gives efficiency measurement.

$$Eff = \frac{\sum_{r} u_r y_{rj}}{\sum_{i} u_i y_{ri}}$$

Where y_{rj} : The amount of the r^{th} output from DMUj, ur: The weight given to the rth output, xij: The amount of the ith input used by DMUj, vi: The weight given to the ith input. To measure the efficiency of DMU j0 model 1 is used to form model 2 and 3 and this measure the efficiency

E. Electre

It was proposed by [87], this method uses two basic indices i.e. concordance index and the discordance index to find a kernel solution. It gives the relation between alternatives based on ranking. The ELECTRE I is the basic method which cannot be used for



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 6.887

Volume 6 Issue V, May 2018- Available at www.ijraset.com

ranking therefore ELECTRE II is proposed by [88] to overcome the issues of ELECTRE I. while ELECTRE III [88] gives the fuzzy based outranking and ELECTRE IV [89] simply the ELECTRE III

F. SMART

[94] proposed a unique synthesis criterion approach. This method has more similarity with MAUT. It also require two assumptions, namely "utility independence and preferential independence" [167]. This method has the ability to conveniently convert importance weights into actual numbers. It is a linear additive model which means that an overall value of a given alternative is calculated as the total sum of the performance score (value) of each criterion (attribute) multiplied with the weight of that criterion. The stages in the analysis are [14],

- Stage 1: Identify the decision-maker(s)
- Stage 2: Identify the issue of issues: Utility depends on the context and purpose of the decision
- Stage 3: Identify the alternatives: This step would identify the outcomes of possible actions, a data gathering process.
- Stage 4: Identify the criteria:
- Stage 5: Assign values for each criteria:
- Stage 6: Determine the weight of each of the criteria:
- Stage 7: Calculate a weighted average of the values assigned to each alternative: This step allows normalization of the relative importance into weights summing to 1.
- Stage 8: Make a provisional decision
- Stage 9: Perform sensitivity analysis

G. PROMETHEE

It was developed by [95,96], this method uses pairwise comparison-based outranking to solve the problems. The characteristics of this method is similar to ELECTRE as both work on outranking methods. Here pairwise comparisons are converted to uni-criterion so that it can be calculated to compare to each other. PROMETHEE have the versions like ELECTRE PROMETHEE I use for partial ranking of alternatives, PROMETHEE II for complete ranking, PROMETHEE III for ranking based on interval, PROMETHEE IV for complete ranking, PROMETHEE VI for problems with segmentation constraints and PROMETHEE VI for human brain representation [96,97]

H. Goal Programming(GP)

The e[105] proposed an extension to linear programming method and able to choose from an infinite number of alternatives. The measures are given by the goal or target value to achieved due to this the unwanted deviations are minimized. GP is used to perform three types of analysis.

- 1)To determine the required resources to achieve desired set of alternatives/objectives.
- 2) To determine degree of attainment of the goals with the available resources.
- 3)Providing the best satisfying solution under a varying amount of resources and priorities of the goals.

[106], applied goal programming method to solve DEA model and give the correct GP approach for the Li and [115] uses software for solving multi choice problem a real world problem by developing GP

I. TOPSIS

[121] proposed an alternative to the ELECTRE method and being widely used. This method is further extended by [122,123], and state that the best solution is the one which has shortest distance from the positive ideal solution and farthest from negative solution. This method has a tendency of increasing and decreasing utility. Therefore it is easy to define the ideal and negative ideal solutions. In this method various criteria are converted into non dimensional criteria as like ELECTRE method. It can be considered that for the benefits criteria the decision maker can have both maximum and minimum alternatives in reference to ideal solution. The TOPSIS works in the following way After defining n criteria and m alternatives, the normalized decision matrix is formed.

The normalized value rij is calculated from Equation (3), where fij is the i-th criterion value for alternative Aj (j = 1, ..., m) and i = 1, ..., n.[70]

$$r_{ij} = \frac{f_{ij}}{\sqrt{\sum_{j=1}^{m} f_{ij}^2}}$$
 (1)

To calculate v_{ij} in the decision matrix following equation is used.



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 6.887

Volume 6 Issue V, May 2018- Available at www.ijraset.com

$$v_{ij} = w_i \; r_{ij}$$

The positive ideal A+ and negative ideal solution A - are derived as shown below, where Γ and

 Γ are positive and negative variables

$$A + = \{v_1^+, \dots, v_n^+\} = \{(MAX_i \ v_{ij} | i \in \Gamma), ((MIN_i \ v_{ij} | i \in \Gamma))\}$$
 (2)

$$A^{-} = \{v_{1}^{+}, \dots, v_{n}^{+}\} = \{(MIN_{i} \ v_{ij} | i \in \Gamma), ((MAX_{i} \ v_{ij} | i \in \Gamma))\}$$
(3)

From the n-dimensional Euclidean distance, D+j is calculated in (4) as the separation of every alternative from the ideal solution. The separation from the negative ideal solution follows in (5).

$$D_j^+ = \sqrt{\sum_{i=1}^n (v_{ij} - v_i^+)^2}$$
 (4)

$$D_j^+ = \sqrt{\sum_{i=1}^n (v_{ij} - v_i^-)^2}$$
 (5)

The relative closeness to the ideal solution of each alternative is calculated from:

$$C_j = \frac{D_j^-}{(D_j^+ + D_j^-)} \tag{6}$$

After sorting the Cj values, the maximum value corresponds to the best solution to the problem[123].

J. VIKOR

[138] proposed a method which is very much similar to TOPSIS, it also ranks and best alternative from a set of alternatives based on closeness to ideal solution. The inefficiency in TOPSIS being explained by VIKOR by ranking alternatives

K. WSM

[168] proposed this method first and it is being reused by [25], this method is also known as weighted linear combination or scoring methods and it is mostly known by Weighted Sum Model[25]. It is a simple method and it works on weighted average and score of alternatives. The SAW/WSM only deals with benefit criteria and applied to only single dimensional problems as it follows the intuitive process. WSM/SAW is easy applicable method; but the problems deals with qualitative and quantitative attributes it become difficult to handle it. Therefore it is mostly used with other methods. The steps involved in SAW is as follows.

- 1) prepare the comparison matrix according to Saaty (1-9) scale of pair wise comparisons. Form the weighted sum matrix and find the average of it find the consistency Index and consistency ratio.
- 2) Construct the matrix (m x n) type for alternatives and criteria.

Evaluate alternative by formula $A_i = \sum w_j x_{ij}$ the calculation continue till the consistency ratio reach to less than 0.1 then only indicates sufficient consistency [25]

L. WPM

[174 & 175] proposed a method similar to WSM the difference is that instead of addition in the model there is multiplication. In this method each alternative is compared by multiplying a number ratios to other alternative. This method suggest that the best alternative to the one which is better than or equal to other alternatives. WPM eliminates the unit of measurement that's why WPM is called as dimensionless analysis and therefore it can be used for single as well as multi-dimensional criteria method. Following formula gives the normalized matrix in order to compare the alternative Ak and AL [25,175,176].

$$R(AK/AL) = \prod_{i=1}^{N} (a_{Ki}/a_{ij})^{w_j}$$

N is number of criteria

a_{ii} – actual value of i-th alternative in terms of j-th criterion.

w_{ij} - weight

If the ratio of $R(Ak / AL) \ge 1$, then Ak is more desirable than alternative. The best is one that is better than or equal to all the other alternatives [64-66].

M. Relevant MCDM and New Trend of MCDM



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 6.887 Volume 6 Issue V, May 2018- Available at www.ijraset.com

During literature some different methods found that are the principal eigenvector technique [13], the weighted least square method (WLSM)[177], the logarithmic least square method (LLSM) or geometric mean method (GMM)[178], are used to calculate the weights.

The MCDM has the wide spectrum therefore the demerits of one method can be remedies by joining the other method with it, some combined methods are: DEMATEL initially proposed by [174] it is a simple pairwise comparison-based method and being mostly used by other MCDM methods. MACBETH [180] is a qualitative method used to compare the alternatives. Fuzzy AHP is Fuzzification of the AHP is widely used methods now. As it is found that the combination of two methods leads to better option than the single one. MAUT also find applications with combination of other MCDM methods. [183] uses MAUT, AHP and ELECTRE in combination for Marine Machienery system, [184] applied hybrid Delphi, MAUT, TOPSIS for selecting Green building credit, [41] uses Interval Evidential Reasoning (IER), Laplace Evidential Reasoning (LER), MAUT for Software requirement, [42] uses MAUT, Marco applied MAUT with mean value portfolio analysis to environmental and socio factor. There are many other application of MAUT with other MCDM method which gives better result. [193] prepared the biblometric performance indicators based on journals, authors on AHP and Topsis Technique find the most active area for AHP and TOPSIS i.e. supply chain management, sustainability research, risk management. [194] combined Goal Programming, AHP with TOPSIS for the selection of maintenance strategy in hydroelectric power plant. This combination gives the improvement of 77% in downtimes. [195] focused on performance of cellular mobile telephone service providers by using fuzzy extended ELECTRE to get the outranking of poor performers. [196] applied GIS and AHP to real world problem for the location of concentrating solar power (CSP) plants. [197] applied AHP integrated PROMETHEE and VIKOR methods for selection of military airport location in turkey, the criteria includes the requirement of airport plus the environmental and social effects. The results were compared with COPRA, MAIRCA and MABAC and found more suitable for location selection. [198] included attribute difference revision (ADR) to improve the learning performance of CBR method. [199] use text mining and case based reasoning (TM-CBR) for preparing the reference to designer for making the green building design and improve the effectiveness and adequacy of green building design. [200] combined Geographic Information Systems (GIS) with Analytic Hierarchy Process (AHP) method, TOPSIS method and ELECTRE TRI method for the comparative study for the location of the photovoltaic farms in spain. The comparison reveals that the results are not identical but there are some similarity between these methods. [201] study the reverse logistics which is the important part of green supply chain management as to minimize the waste at end of life. The study focused on the barriers and ranking of both barriers and solution of reverse logistics in electronics industries. Fuzzy AHP and TOPSIS used to get the weights of each barriers and TOPSIS uses get the final ranking

III.CHARACTERISTICS OF MCDM

The mentioned MCDM methods are used for solving many problems but not all suggested for solving any multi-criteria decision problem. MCDM uses quantitative and qualitative data for evaluation, but some methods uses only quantitative and some only qualitative. Weighted method shows the quantitative information and the result occurred in ranking form. Evaluation, using graphics for evaluation gives the qualitative and quantitative information and gives result in visual form. Outranking Methods shows the quantitative information and gives result in ranking form some time it gives incomplete ranking. Analytical hierarchy process (AHP) shows the qualitative information with low transparency and gives result in ranking form. Permutation method shows the qualitative information with low transparency and gives result in ranking form.

A. Strength and Weakness of MCDM Methods

It is being found that there are various types of information like information on criteria, alternatives ways being categorized and present the classification based on input data [20,21]. MCDM gives a systematic and transparent approach to enhance objectivity which gives result that can be preferred for analysis [22]. The elements of MCDM summarized are as follows:

- 1) Aggregation algorithms: There are number of MCDM methods and it gives various outcomes, to get the solution which is given by most of the methods can be considered as the final but the selection of proper method is really no the straight path.
- 2)Compensatory methods: The complete accumulation methods which allow for trade-offs between good and poor performance on different criterion, e.g. the poor performance on water quality could be compensated with good performance on investment cost. This things are debatable and have many criteria to relate with the performance. The mathematical calculation of MCDM can give better decision for one criteria and poor for another criteria this is an obligatory thing.
- 3)Elicitation process: some methods uses the way of idiosyncratic information i.e. weights and preference is not trifling and is likely to influence the results.



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 6.887 Volume 6 Issue V, May 2018- Available at www.ijraset.com

- 4)Incomparable options: The aim of all MCDM is to reduce incomparability, and to reduce the problems to single-criterion problems for which an optimal solution exists completely. This result in selecting the best option with value e.g. A is better than B by 0.45 value
- 5) Scaling effects: certain MCDM methods works on scale which gives evaluation which is unacceptable.
- 6)Problem structuring: in some case results could be manipulated by omission or addition of some relevant criteria or options.
- 7) Additional required information: some MCDM methods need additional information to get the better result.
- 8) Uncertainty: The results can be changed if the number of decimals places are increase or decrease

TABLE III MCDM APPLICATIONS

MCDM	Merits	Demerits	Applications	Referenc
Method		201101110	- ippiourons	es used
Method Multi-attribute utility analysis (MAUT) Churchman, C.W., Ackoff, R.L. and Arnoff, E.L. (1957)	 Takes uncertainty into account; Can represent the uncertainty directly to decision model It has a strong form of decision making Simple to method Easy calculations. The mechanism of the method is straight forward 	Needs a lot of input; preferences need to be precise.	 Public Sector like, new airport, forest land use Power Plant related selection. Supplier selection Economics, finance, actuarial, water Management energy management agriculture E commerce Truck load condition. Motion simulator. Global manufacturing (canbolt Chelst Garg 2007) Social problem Land use Natural resource management Technical socio-cultural for eight countries(Ananda and hearth 2005) Watering system(kailiponi 2010) Soil contamination (zabeo) 	es used [24-43]
Analytic Hierarchy Process (AHP) Saaty, T. L. (1977).	 Easy to use; handle the multiple measures and perspectives scalable; hierarchy structure can easily adjust to fit many sized problems; not data intensive. 	Problems due to interdependence between criteria and alternatives; can lead to inconsistencies between judgment and ranking criteria; rank reversal.	 Supply chain Management. Transportation Resource management Health Technology corporate policy and strategy. public policy, Industrial robots Selection of Techno-Entrepreneurship Projects political strategy, and planning. Fisheries Infrastructure. Water resource management 	[44-60]
Case-Based Reasoning (CBR)	 Not data intensive; can adapt to changes in environment. 	Sensitive to inconsistent data; requires many cases.	Health Insurance Identifying knowledge leader.	[61-70]



M VDO.					
Roger S 1982).	Schank,		Gives good result for computer and health based application	 Human anatomy. Banking Businesses Phishing detection Construction Environment Energy management 	
Data Envelopme Analysis (I M.J.Farrell (1957)	DEA)	Capable of handling multiple inputs and outputs; efficiency can be analyzed and quantified.	Does not deal with imprecise data; assumes that all input and output are exactly known.	 Industrial waste control Economics and eco efficiency Energy Efficiency Renewable and sustainable energy Energy performance Environmental efficiency. agriculture, retail, and business problems. 	[71-86]
Simple Multi-Attri Rating Technique (SMART) Edwards, Barron, (1994).	;	Simple; allows for any type of weight assignment technique; less effort by decision makers.	Procedure may not be convenient considering the framework.	 Environmental, construction, transportation and logistics, military, manufacturing and assembly problems. 	[93,94,14 ,2,3]
Roy E (1968)	Bernard	Takes uncertainty and vagueness into account.	outranking causes the strengths and weaknesses of the alternatives to not be directly identified.	 Water resource management Infrastructure Water and waste water main. Supplier selection Energy, economics, environmental, water management, and transportation problems. 	[87-92,2]
PROMETI Brans & (1985)		Easy to use; does not require assumption	Does not provide a clear method by which to assign weights.	 Environmental, hydrology, Water management, waste water system transportation bridges. sustainability, portfolio selection chemistry, logistics manufacturing and assembly, energy, agriculture. 	[95-104]
Goal Programmi (GP) Charnes (1		Capable of handling large- scale problems; can produce infinite alternatives.	It's ability to weight coefficients; typically needs to be used in combination with other	Energy Plan Production planning, scheduling, Waste water treatment plant. water reservoir management Transportation Infrastructure	[105- 120]



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 6.887 Volume 6 Issue V, May 2018- Available at www.ijraset.com

Coefficients. Not suitable for multic choice problem. Simple for Order preferences by Similarity to Ideal Solutions (TOPSIS) Has a simple process; easy to use and program; the regardless of the number of attributes. Simple factorian in the same (1981) Simple factorian in the consistency (1981) Simple factorian in the same			MCDM methods to weight	Financial & portfolio selection.Agriculturehealth care	
Technique for Order Orde				• real life problem.	
Technique for Order Preferences by Similarity to Ideal Solutions (TOPSIS) WIKOR (VIseKriterijums ka Optimizacija I Kompromisno) (Opricovic 1998) Simple Additive Weighting (SAW) Simple Additive Weighting (SAW) Simple Additive Weighting (SAW) Churchman, C. C. W. and R. L. Ackoff (1954) Technique for Order preferences by to use and program; the number of attributes. It is a simple process; easy to use and program; the number of attributes. It is use to use and program; the number of attributes and to consider the correlation of attributes; difficult to weight and keep consistency of judgment. VIKOR (VIseKriterijums ka Optimizacija I Kompromisno) (Opricovic 1998) Simple Additive Weighting (SAW) Churchman, C. W. and R. L. Ackoff (1954) Technique for Order Psite and program; the number of otosider the correlation of attributes; difficult to weight and keep consistency of judgment. Simple Additive Weighting (SAW) Simple Additive Weighting (SAW) Simple intuitive to decision makers; Plas a simple process; easy to use Usucidean Distance does not consider the correlation of attributes; difficult to water resources management. Simple Additive Weighting (SAW) Simple Additive Weighting (SAW) Churchman, C. W. and R. L. Ackoff (1954) Proces management and logistics. Slastic Pattern selection in mine. Ability to compensate among consistency of judgment. Simple Additive Weighting (SAW) Ability to compensate among reflect the real situation; simple intuitive to decision makers; Ability to compensate among reflect the real situation; simple intuitive to decision makers; Ability to compensate among reflect the real situation; simple intuitive to decision makers; Ability to compensate among reflect the real situation; simple intuitive to decision makers; Ability to compensate among reflect the real situation; simple intuitive to decision makers; Ability to compensate among reflect the real situation; simple intuitive to decision makers; Ability to compensate among reflect the real situation; simple intu				Renewable Energy	
Technique for Order Orde				• Forest management.	
Order Preferences by Similarity to Ideal Solutions (TOPSIS) Hwang & Yoon (1981) VIKOR (VIscKriterijums ka Optimizacija I Kompromisno) (Opricovic 1998) Opricovic 1998) Simple Additive Weighting (SAW) Churchman, C. W. and R. L. Ackoff (1954) Of steps remains the same regardless of the number of attributes. Distance does Distance does of steps remains the same regardless of the number of attributes. Distance does of steps remains the same regardless of the number of attributes: Optimizacija I Kompromisno) Optimizacija I Kompromisno (Opricovic 1998) Optimizacija I Kompromisno (Opricovic 1998			problem.	Supplier Selection	
Order Preferences by Similarity to Ideal Solutions (TOPSIS) Hwang & Yoon (1981) VIKOR (VIseKriterijums ka Optimizacija I Kompromisno) (Opricovic 1998) Opricovic 1998) Simple Additive Weighting (SAW) Churchman, C. W. and R. L. Ackoff (1954) Opricovic (1954)	Technique for	Has a simple process; easy	Its use of	• Supply chain management and	[121-
Similarity to Ideal Solutions (TOPSIS) Hwang & Yoon (1981) VIKOR (VlseKriterijums ka Optimizacija I Kompromisno) (Opricovic 1998) Gimple Additive Weighting (SAW) Simple Additive Weighting (SAW) Churchman, C. C. W. and R. L. Ackoff (1954) Churchman, C. C. W. and R. L. Ackoff (1954) Ability to compensate among makers; Arise of steps remains the same regardless of the number of attributes; difficult to weight and keep consistency of judgment. Similarity to compensate among (SAW) of steps remains the same regardless of the number of attributes; difficult to weight and keep consistency of judgment. Simple Additive Weighting (SAW) Churchman, C. W. and R. L. Ackoff (1954) of steps remains the same regardless of the number of attributes; difficult to weight and keep consistency of judgment. of ju	Order	to use and program; the	Euclidean		137]
Ideal Solutions (TOPSIS) Hwang & Yoon (1981) VIKOR (VlseKriterijums ka Optimizacija I Kompromisno) (Opricovic 1998) Simple Additive Weighting (SAW) Cimple Additive Weighting (SAW) Cimple Additive Weighting (SAW) Churchman, C. W. and R. L. Ackoff (1954) Churchman, C. W. and R. L. Ackoff (1954) The Manufacturing of attributes: difficult to weight and keep consistency of judgment. Simple Additive Name among criteria; calculation is simple intuitive to decision of attributes: difficult to weight and keep consistency of judgment. Simple Additive Name among criteria; calculation is simple intuitive to decision of attributes: difficult to weight and keep consistency of judgment. Simple Additive Name among criteria; calculation is simple intuitive to decision of attributes: difficult to weight and keep consistency of judgment. Simple Additive Name among criteria; calculation is simple intuitive to decision of attributes: difficult to weight and keep consistency of judgment. Simple Additive Name among criteria; calculation is simple intuitive to decision of the real situation; Result are not logical. Shelter for human being, shelter for human being, water resources management. Sustainability. Sustainability. Sustainability Renewable energy Management Manufacturing fields Construction Risk and financial management. Water resource planning. Shelter for human being, water resources management. Sustainability. Bridges Construction Result are not logical. Shelter for human being, water resources management. Sustainability. Shelter for human feasures management. Sustainability. Renewable energy Management Manufacturing. Shelter for human being, Shelter for human being, Shelter for human feasures management. Sustainability. Renewable energy Management Manufacturing fields Construction Result are not logical. Simple Additive to decision management. Sustainability. Shelter for human feasures management. Sustainability. Shelter for human feasures. Sustainability. Shelter for hum	Preferences by	number	Distance does	Blastic Pattern selection in mine.	
Ideal Solutions (TOPSIS) Hwang & Yoon (1981) VIKOR (VlseKriterijums ka Optimizacija I Kompromisno) (Opricovic 1998) Correlation of attributes: difficult to weight and keep consistency of judgment. VIKOR (Opricovic 1998) Correlation of attributes: difficult to weight and keep consistency of judgment. VIKOR (VlseKriterijums ka Optimizacija I Kompromisno) Copricovic 1998) Simple Additive Weighting (SAW) Citeria; calculation is simple intuitive to decision Churchman, C. W. and R. L. Ackoff (1954) Ackoff (1954) Ackoff (1954) Augustanability Sustainability Sustainability Sustainability Nenewable energy Management Manufacturing fields Construction Risk and financial management. Water resource planning. Tourism Health Supplier selection Human resource management, Water management, Water management, Siringles Transportation. Froad Human resource management. Without to decision mateributes; difficult to weight and keep consistency of judgment. Sustainability Renewable energy Management Manufacturing. Sustainability Renewable energy Management Manufacturing fields Construction Risk and financial management. Water resource management. Water management, Sustainability Renewable energy Management Manufacturing. Sustainability Renewable energy Management Manufacturing. Sustainability Renewable energy Management Manufacturing fields Construction Risk and financial management. Water resource management. Water management, Fload Human resource management. Fload Human resource management. Fload Human resource management. Thermal business, and	Similarity to	of steps remains the same	not consider the	• Air Conditioning system.	
Ability to compensate Weighting (SAW) Ability to compensate Weighting (SAW) Churchman, C. W. and R. L. Ackoff (1954) Ackoff (1954) Churchman, C. W. and R. L. Ackoff (1954) Churchman, C.	Ideal Solutions	regardless of the number of	correlation of	• engineering, manufacturing.	
Hwang & Yoon (1981) VIKOR (VlseKriterijums ka Optimizacija I Kompromisno) (Opricovic 1998) Cimple Additive Weighting (SAW) Simple Additive Weighting (SAW) Churchman, C. W. and R. L. Ackoff (1954) Hwang & Yoon (1981) Alian A weep consistency of judgment. Additive weight and keep consistency of judgment. A water resources management. Sustainability. Bridges Financial performance systems, business and marketing, environmental, human resources. Sustainability Renewable energy Management Manufacturing fields Construction Risk and financial management. Water resource planning. Tourism Health Supplier selection Human resource management. Bridges Transportation. Food Human resource management. Thermal business, and	(TOPSIS)	attributes.	attributes;		
Hwang & Yoon (1981) Wikor (ViseKriterijums ka Optimizacija I Kompromisno) (Opricovic 1998) Simple Additive Weighting (SAW) Simple Additive Weighting (SAW) Churchman, C. W. and R. L. Ackoff (1954) Ability to compensate simple intuitive to decision makers; Churchman, C. W. and R. L. Ackoff (1954) Avision Weight and keep consistency of judgment. Weight and keep consistency of judgment. Sistaniability Bridges Financial performance systems, business and marketing, environmental, human resources. Susstainability Struction Sustainability Renewable energy Management Manufacturing fields Construction Risk and financial management. Water resource planning. Tourism Health Supplier selection Human resource management. Water management, Bridges Financial performance systems, business and marketing, Renewable energy Management Manufacturing fields Construction Risk and financial management. Water resource management. Financial performance systems, business and marketing, Packet management Supplier selection Human resource management. Financial performance Sustainability Structure Financial performance Sustainability Renewable energy Management Manufacturing fields Construction Risk and financial management. Water management, Bridges Financial performance Sustainability Renewable energy Management Manufacturing fields Construction Risk and financial management. Water management, Bridges Financial performance Sustainability Renewable energy Management Manufacturing fields Construction Risk and financial management. Water management, Bridges Financial performance Sustainability Renewable energy Management Mauracturing fields Construction Risk and financial management Water resource management. Financial performance Sustainability Renewable energy Management Manufacturing fields Construction Risk and financial management Water management Human resource management Financial performance Sustainability Nanagement Manufacturing fields Financial performance Sustainability Re					
Simple Additive Weighting (SAW) Citeria; calculation is simple intuitive to decision Churchman, C. W. and R. L. Ackoff (1954) Citeria; calculation is simple intuitive to decision makers; Citeria; calculation is situation; Citeria; c	_		_		
Of judgment. Financial performance systems, business and marketing, environmental, human resources. VIKOR (VlseKriterijums ka Optimizacija I Kompromisno) (Opricovic 1998) (Opricovic 1998) Simple Additive Weighting (SAW) Simple Additive Weighting (SAW) Churchman, C. W. and R. L. Ackoff (1954) Akolity to compensate among Churchman, C. W. and R. L. Ackoff (1954) Ackoff (1954) Original Additive Ability to compensate among criteria; calculation is simple intuitive to decision makers; Original Additive Ability to compensate among criteria; calculation is simple intuitive to decision makers; Original Additive Ability to compensate among criteria; calculation is simple intuitive to decision makers; Original Additive Ability to compensate among criteria; calculation is situation; Result are not logical. Prinancial performance Sustainability Renewable energy Management Manufacturing fields Construction Risk and financial management. Water resource planning. Water management, Bridges Transportation. Food Human resource management. Food Human resource management. Thermal business, and	(1981)			•	
VIKOR (VlseKriterijums ka Optimizacija I Kompromisno) (Opricovic 1998) (Opricovic			of judgment.		
VIKOR (VlseKriterijums ka Optimizacija I Kompromisno) (Opricovic 1998) (Opricovic 1998) Simple Additive Weighting (SAW) Churchman, C. W. and R. L. Ackoff (1954) VIKOR (VlseKriterijums ka comprises solution Easy to use It is a comprises solution As optimizacija I Kompromisno) (Opricovic 1998) It is a comprises solution As optimizacija I Kompromisno) As optimizacija I Kompromisno As optimiz				-	
VIKOR (VlseKriterijums ka Optimizacija I Kompromisno) (Opricovic 1998) (Opricovic 1998) (Opricovic 1998) Simple Additive Weighting (SAW) Churchman, C. W. and R. L. Ackoff (1954) Ackoff (1954) Easy to use It is a comprises solution It is a comprises solution Annufacturing fields Construction Annufacturing fields Construction Risk and financial management. Water resource planning. Tourism Health Supplier selection Human resource management. Water management. Water management. Food Transportation. Food Human resource management. Food Human resource management. Thermal business, and				•	
(VlseKriterijums ka Optimizacija I Kompromisno) (Opricovic 1998)	VIKOR	Easy to use			[138-
ka Optimizacija I Kompromisno) (Opricovic 1998) (Opricovic 1998)	(VlseKriterijums	It is a comprises solution		•	167]
Kompromisno) (Opricovic 1998) (Namufacturing fields (Construction (Nation of the situation of	ka Optimizacija I				
(Opricovic 1998) (Saw) (Opricovic 1998) (Saw) (Simple Additive Weighting (SAW) (Saw) (Saw) (Churchman, C. W. and R. L. Ackoff (1954) (Opricovic 1998) (Saw) (Saw) (Construction (Nexisk and financial management. (Nexist are source management. (Nexisk and financial management. (Nexist and particular and p	Kompromisno)				
Water resource planning. Tourism Health Supplier selection Human resource management. Simple Additive Weighting (SAW) Churchman, C. W. and R. L. Ackoff (1954) Water resource planning. Water resource planning. Weater resource planning. Water management. Food Transportation. Food Human resource management. Food Human resource management. Thermal business, and					
 Water resource planning. Tourism Health Supplier selection Human resource management. Simple Additive Weighting among (SAW) Criteria; calculation is simple intuitive to decision Churchman, C. W. and R. L. Ackoff (1954) Water resource planning. Water resource planning. Tourism Water management. Water management, Shridges Transportation. Food Human resource management. Thermal business, and 	(Opricovic 1998)			Risk and financial management.	
Order of the second content of the second co				_	
 Health Supplier selection Human resource management. Water management, Bridges Criteria; calculation is simple intuitive to decision Churchman, C. W. and R. L. Ackoff (1954) Health Supplier selection Water management, Water management, Food Human resource management. Horransportation. Food Human resource management. Thermal business, and 					
Simple Additive Ability to compensate Weighting (SAW) Churchman, C. W. and R. L. Ackoff (1954) Simple Additive Ability to compensate among reflect the real situation; Result are not logical. Supplier selection Human resource management. • Supplier selection • Human resource management. • Water management, [168-173] • Bridges • Transportation. • Food • Human resource management. • Thermal • business, and					
Simple Additive Ability to compensate Weighting (SAW) Criteria; calculation is simple intuitive to decision Churchman, C. W. and R. L. Ackoff (1954) Simple Additive Ability to compensate It do not always reflect the real situation; reflect the real situation; Result are not logical. • Human resource management. • Water management, [168-173] • Transportation. • Food • Human resource management. • Thermal • business, and					
Simple Additive Weighting					
Weighting (SAW) among criteria; calculation is simple intuitive to decision Churchman, C. W. and R. L. Ackoff (1954) among criteria; calculation is situation; Result are not logical. Transportation. • Bridges • Transportation. • Food • Human resource management. • Thermal • business, and	Simple Additive	Ability to compensate	It do not always		[168-
(SAW) criteria; calculation is situation; Simple intuitive to decision Churchman, C. W. and R. L. Ackoff (1954) Criteria; calculation is situation; Result are not logical. Situation; Food Human resource management. Thermal business, and	Weighting	-	reflect the real		173]
simple intuitive to decision Churchman, C. W. and R. L. Ackoff (1954) Simple intuitive to decision makers; Result are not logical. Human resource management. Thermal business, and	(SAW)		situation;	C	
W. and R. L. Ackoff (1954) Thermal business, and		simple intuitive to decision	Result are not	÷	
W. and R. L. Ackoff (1954) • Thermal • business, and	· ·	makers;	logical.	Human resource management.	
Ackoff (1954) • business, and				•	
	Ackoff (1954)				
				• financial management.	

IV.CONCLUSIONS

Decision Making is an essential technique and it is found that the application of these techniques are increasing. It offered number of suitable tactics for exhibiting decision aiding. MCDM method have the capability to marked different contradictory interest and solve it more precisely which is not possible with the optimizations models. The number of papers and books were reviewed to get all the MCDM in one umbrella and to find the application of these methods. The table 2 shows the application of the MCDM method and reveals the area of research where MCDM can be applied with the method more suitable for it. The review gets the latest trend of using the benefits of other methods with another one to get the proper decision. The study get that the integrated methods give better performance than the individual ones. The study is limited to find most MCDM methods and their applications. The study can be continued in future with focus on one applications one method and with integration of other methods. One can



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 6.887

Volume 6 Issue V, May 2018- Available at www.ijraset.com

study the sub areas of the field shown in application. The review tried to give the better understanding of MCDM techniques. This will help researcher to practice in the integrated or hybrid technique to solve the various problems

V. ACKNOWLEDGMENT

The heading of the Acknowledgment section and the References section must not be numbered.

Causal Productions wishes to acknowledge Michael Shell and other contributors for developing and maintaining the IEEE LaTeX style files which have been used in the preparation of this template. To see the list of contributors, please refer to the top of file IEEETran.cls in the IEEE LaTeX distribution.

REFERENCES

- [1] Chen, S.J., and C.L. Hwang, "Fuzzy Multiple Attribute Decision Making: Methods and Applications," Lecture Notes in Economics and Mathematical Systems, No. 375, , Springer-Verlag, 1991.
- [2] Roy B, Multi-Criteria Methodology for Decision Aiding. Kluwer Academic Publishers, 1996.
- [3] Evangelos Triantaphyllou, Multi-Criteria Decision Making Methods: A Comparative Study, Springer-Science + Business Media B.V, 2000.
- [4] R. Venkata Rao, Decision Making in the Manufacturing Environment UsingGraph Theory and Fuzzy Multiple Attribute Decision Making Methods, Springer Series in Advanced Manufacturing Volume 2, 2013.
- [5] Golam Kabir, RehanSadiq& Solomon Tesfamariam, A review of multi-criteria decision-making methods for infrastructure management, Structure and Infrastructure Engineering: Maintenance, Management, Life-Cycle Design and Performance, 10:9, 1176-1210, 2014, DOI: 10.1080/15732479.2013.795978
- [6] Weistroffer, H. R., Smith, C. H., and Narula, S. C., "Multiple criteria decision support software", Ch 24 in: Figueira, J., Greco, S., and Ehrgott, M., eds, Multiple Criteria Decision Analysis: State of the Art Surveys Series, Springer: New York, 2005.
- [7] Sałabun, W., The Characteristic Objects Method: A New Distance-based Approach to Multi criteria Decision making Problems. Journal of Multi-Criteria Decision Analysis, 22(1-2), 37-50, 2015.
- [8] Sałabun, W., Piegat, A. Comparative analysis of MCDM methods for the assessment of mortality in patients with acute coronary syndrome. Artificial Intelligence Review. 48(4), 557-571, December 2017. DOI:10.1007/s10462-016-9511-9
- [9] Keshavarz Ghorabaee, Edmundas Kazimieras Zavadskas, Laya Olfat, Zenonas Turskis, "Multi-Criteria Inventory Classification Using a New Method of Evaluation Based on Distance from Average Solution (EDAS), Informatica, 26(3), 435-451, 2015.
- [10] Patricia Guarnieri, Decision Models in engineering and Management, Springer International Publishing, UK, 2015.
- [11] Keeney RL, Raiffa H, Decisions with multiple objectives: preferences and value trade offs. A John Wiley & Sons, Ltd., Publication, New York, 1976.
- [12] Edwards, W., How to use multi attribute utility measurement for social decision making, IEEE Transactions on Man and Cybernetics SMC,-7(4), 326-340,
- [13] Saaty TL, How to make a decision: the analytic hierarchy process, European Journal of Operation Research, 48 (1):9–26, 1990.
- [14] David L.Olson, Decision Aids for Selection Problems, Springer Series in Operations Research, Newyork, 1999,
- [15] Michael Doumpos and Constantin zopounidi's, Multi Criteria Decision and Classification Methods, Kluwer Academic Publishers, vol.73 New York, 2002.
- [16] Michael Doumpos and Evangelos Grigoroudis, Multi criteria Decision Aid and Artificial Intelligence Links, Theory and Applications, A John Wiley & Sons, Ltd., Publication, 2013.
- [17] Von Neumann, J. and Morgenstern, O., Theory of Games and Economic Behavior, Princeton, New Jersey, 1994.
- [18] Fishburn, P.C., "Independence In Utility Theory With Whole Product Sets", Operations Research, 13, 28-45, 1965
- [19] Charnes, A. and Cooper, W.W., Management Models and Industrial Applications of Linear Programming, A John Wiley & Sons, Ltd., Publication, New York, 1961.
- [20] Stefan Hajkowicz & Kerry Collins, A Review of Multiple Criteria Analysis for Water Resource Planning and Management, Water Resource Management, 21:1553–1566, 2007. DOI 10.1007/s11269-006-9112-5.
- [21] Hwang, C.L., and Yoon, K., Multiple attribute decision making: Methods and applications. Springer-Verlab Berlin Heidelberg, 1981.
- [22] Ron Janseen, On the use of multi-criteria analysis in environmental impact assessment in The Netherlands, Journal of Multi Criteria Decision Analysis-Optimization, Learning and Decision Support, 10(2),101-109, March 2001.DOI: 10.1002/mcda.293.
- [23] Adeluitouni and Jean Martel, Tentative Guidelines to Help Choosing an Appropriate MCDA Method, European Journal of Operational Research, 109(2):501-521, September 1998.DOI:10.1016/S0377-2217(98)00073-3
- [24] Churchman, C.W., Ackoff, R.L. and Arnoff, E.L. Introduction to Operations Research:, A John Wiley & Sons, Ltd., Publication., New York 1957
- [25] Fishburn, P., Conjoint measurement in utility theory with incomplete product sets. Journal of Mathematical Psychology, 4(1): 104-119. 1967,
- [26] Keeney, R. The art of assessing multi attribute utility functions. Organizational Behavior and Human Performance, 19(2): 267-310, 1977.
- [27] Keeney, R. and Fishburn, P. Seven Independence Concepts and Continuous multi attribute utility functions. Journal of Mathematical Psychology, 11(3): 294-327, 1974.
- [28] Dillon, J.L. and Perry, C. 'Multi attribute utility theory, multiple objectives and uncertainty in ex ante project evaluation', Review of Marketing and Agricultural Economics, 45 (1, 2): 3–27. 1977
- [29] Loken, E., Use of multi-criteria decision analysis methods for energy planning problems. Renewable and Sustainable Energy Reviews, 11(7): 1584-1595, 2007.
- [30] Siskos, J., Washer, G., and Winkels, H. Outranking approaches versus MAUT in MCDM. European Journal of Operational Research, 16(2): 270-271, 1984.
- [31] Canbolat, Y., Chelst, K., and Garg, N., Combining decision tree and MAUT for selecting a country for a global manufacturing facility, Omega. 35(3): 312-325, 2007
- [32] Ananda, J., and Herath, G., Evaluating public risk preferences in forest land-use choices using multi-attribute utility theory. Ecological Economics, 55(3): 408-419, 2005.



- [33] Gomez-Limon, J., Arriaza, M., and Riesgo, L., An MCDM analysis of agricultural risk aversion, European Journal of Operational Research, 151(3): 569-585, 2003.
- [34] Kailiponi, P., Analyzing evacuation decisions using multi-attribute utility theory. Procedia Engineering, 3: 163-174, 2010.
- [35] Loetscher, T., and Keller, J., A decision support system for selecting sanitation systems in developing countries. Socio-Economic Planning Sciences, 36(4): 267-290, 2002.
- [36] Wang, S., Wee, Y., and Ofori, G., DSSDSS: A decision support system for dewatering systems selection. Building and Environment, 37(6): 625-645, 2002.
- [37] Konidari, P., and Mavrakis, D., A multi-criteria evaluation method for climate change mitigation policy instruments. Energy Policy, 35(12): 6235-6257, 2007.
- [38] Zabeo, A., Pizzol, L., Agostini, P., Critto, A., Giove, S., and Marcomini, A., Regional risk assessment for contaminated sites Part 1: Vulnerability assessment by multi-criteria decision analysis. Environment International, 37(8): 1295-1306, 2011.
- [39] HuiZhu Carol X.J.Ou, W.J.A.M.van den Heuvel Hongwei Liu, Privacy calculus and its utility for personalization services in e-commerce: An analysis of consumer decision-making, Information & Management, 54(4), 427-437, 2017. https://doi.org/10.1016/j.im.2016.10.001.
- [40] Walter Talamonti, Louis Tijerina, Mike Blommer, Radhakrishnan Swaminathan, , R. Darin Ellis, Mirage events & driver haptic steering alerts in a motion-base driving simulator: A method for selecting an optimal HMI, Applied Ergonomics, 65, 90-104, November 2017. https://doi.org/10.1016/j.apergo.2017.05.009.
- [41] Persis Voola Vinaya BabuA., Study of aggregation algorithms for aggregating imprecise software requirements' priorities, European Journal of Operational Research, 259(3), 1191-1199, 2017. https://doi.org/10.1016/j.ejor.2016.11.040.
- [42] Russell A.OgleSean J.DeeBrenton L.Cox, Resolving inherently safer design conflicts with decision analysis and multi-attribute utility theory, Process Safety and Environmental Protection, 97, 61-69, September 2015.https://doi.org/10.1016/j.psep.2015.03.009.
- [43] Diego SotoDe La VegaJosé Geraldo VidalVieiraEli Angela Vitor Toso Rosane Nunesde Faria, A decision on the truckload and less-than-truckload problem: An approach based on MCDA, International Journal of Production Economics, 195, 132-145, January 2018. https://doi.org/10.1016/j.ijpe.2017.09.013
- [44] Saaty, T. L., "A scaling method for priorities in hierarchical structures." Journal of Mathematical Psychology 15(3): 234-281, 1977.
- [45] Saaty, T. L., Decision making with dependence and feedback: The analytic network process, RWS publications Pittsburgh. 1996.
- [46] Van Laarhoven, P. and W. Pedrycz, "A fuzzy extension of Saaty's priority theory." Fuzzy sets and Systems, 11(1): 199-227, 1983.
- [47] Chang, D.-Y., "Applications of the extent analysis method on fuzzy AHP." European journal of operational research, 95(3): 649-655, 1996.
- [48] Mikhailov, L., "A fuzzy programming method for deriving priorities in the analytic hierarchy process." Journal of the Operational Research Society: 341-349, 2000.
- [49] Csutora, R. and J. J. Buckley, "Fuzzy hierarchical analysis: the Lambda-Max method." Fuzzy sets and Systems, 120(2): 181-195, 2001.
- [50] Mikhailov, L. and G. Singh Madan, "Fuzzy analytic network process and its application to the development of decision support systems.", IEEE Transactions on Systems, Man, and Cybernetics, Part C: Applications and Reviews, 33(1): 33-41, February 2003.
- [51] Lai, S., Preference-based interpretation of AHP. International Journal of Management Science, 23(4): 453-462, 1995.
- [52] Gao, J., Zhao, R., Zou, Z., Xu, W., & Yu, B., Study on multi level blur comprehensive evaluation methods of highway traffic based on AHP. Journal of Wuhan University of Technology (Transportation Science & Engineering), 31 (2), 243–246, 2007.
- [53] Holguin-Veras, J., Comparative assessment of AHP and MAV in highway planning: Case study. Journal of Transportation Engineering, 121(2), 191–200,1995.
- [54] Karimi, A.R., Mehrdadi, N., Hashemian, S.J., Nabi Bidhendi, G. R., & Tvakkoli-Moghaddam, R., Selection of waste water treatment process based on the analytical hierarchy process and fuzzy analytical hierarchy process methods. International Journal of Environmental Science and Technology, 8(2), 267–280, 2011.
- [55] Zeynep Didem Unutmaz Durmuşoğlu, Assessment of techno-entrepreneurship projects by using Analytical Hierarchy Process (AHP), Technology in Society, 5 February 2018, https://doi.org/10.1016/j.techsoc.2018.02.001
- [56] GiovanniImprota, Mario, Alessandro Russo Maria Triassi, Giuseppe Converso, Teresa Murino, Liberatina Carmela Santillo, Use of the AHP Methodology in System Dynamics: Modelling and Simulation for Health Technology Assessments to Determine the Correct Prosthesis Choice for Hernia Diseases, Mathematical Biosciences, 5 March 2018, https://doi.org/10.1016/j.mbs.2018.03.004.
- [57] AliKokangül Ulviye Polat Cansu Dağsuyu, A new approximation for risk assessment using the AHP and Fine Kinney methodologies, Safety Science, 91, 24-32, January 2017, https://doi.org/10.1016/j.ssci.2016.07.015
- [58] Qingxing Dong Orrin Cooper, An orders-of-magnitude AHP supply chain risk assessment framework, International Journal of Production Economics, 182, 144-156, December 2016.https://doi.org/10.1016/j.ijpe.2016.08.021.
- [59] Radu Eugen Breaz, Octavian Bologa, Sever Gabriel Racz, Selecting industrial robots for milling applications using AHP, Procedia Computer Science, 122, 346-353, 2017. https://doi.org/10.1016/j.procs.2017.11.379.
- [60] Bertolini, M., Braglia, M., & Carmignani, G. Application of the AHP methodology in making a proposal for a public work contract. International Journal of Project Management, 24, 422–430, 2006.
- [61] Roger Schank, Dynamic Memory: A Theory of Learning in Computers and People, New York: Cambridge University Press, 1982.
- [62] S.M.F.D.Syed Mustapha, Case-based reasoning for identifying knowledge leader within online community, Expert Systems with Applications, 97, 244-252, Dec 2017. https://doi.org/10.1016/j.eswa.2017.12.033.
- [63] Eduardo Lupiani Jose M.Juarez Jose Palma Roque Marin, Monitoring elderly people at home with temporal Case-Based Reasoning, Knowledge-Based Systems, 134, 116-134, 15 October 2017. https://doi.org/10.1016/j.knosys.2017.07.025.
- [64] RenataSaraiva MirkoPerkusich, LenardoSilva, HyggoAlmeida, ClauirtonSiebra, AngeloPerkusich, Early diagnosis of gastrointestinal cancer by using case-based and rule-based reasoning, Expert Systems with Applications, 61, 192-202, November 2016. https://doi.org/10.1016/j.eswa.2016.05.026.
- [65] FabioSartori, AliceMazzucchelli Angelo DiGregorio, Bankruptcy forecasting using case-based reasoning: The CRePERIE approach, Expert Systems with Applications, 64, 400-411, December 2016, https://doi.org/10.1016/j.eswa.2016.07.033.
- [66] Hassan Y.A.Abutair, Abdelfettah Belghith, Using Case-Based Reasoning for Phishing Detection, Procedia Computer Science, 109, 281-288, 2017, https://doi.org/10.1016/j.procs.2017.05.352
- [67] Xin Hu, PhD Candidate, Bo Xia, Martin Skitmore, Qing Chen, The application of case-based reasoning in construction management research: An overview, Automation in Construction, 72, 65–74, 2016. https://doi.org/10.1016/j.autcon.2016.08.023.



- [68] RicardoFaia, TiagoPinto Omid Abrishambaf, FilipeFernandes, ZitaVale, Juan Manuel Corchado, Case based reasoning with expert system and swarm intelligence to determine energy reduction in buildings energy management, Energy and Buildings, 155, 269-281, November 2017, https://doi.org/10.1016/j.enbuild.2017.09.020.
- [69] MarcinRelich, Pawel Pawlewski, A case-based reasoning approach to cost estimation of new product development, Neuro computing, 272, 40-45, January 2018, https://doi.org/10.1016/j.neucom.2017.05.092.
- [70] Bentes, A., Carneiro, J., Silva, J., and Kimura, H. Multidimensional assessment of organizational performance: Integrating BSC and AHP. Journal of Business Research, 65(12): 1790-1799, 2012.
- [71] Farrell M.J."The Measurement of Productive Efficiency". Journal of the Royal Statistical Society. 120:253–281, 1957. doi:10.2307/2343100. JSTOR 2343100.
- [72] Banker R.D. "Some Models for Estimating Technical and Scale Inefficiencies in Data Envelopment Analysis". <u>Management Science</u>, 30: 1078–1092, 2012. doi:10.1287/mnsc.30.9.1078.
- [73] Hermans, E., Brijs, T., Wets, G., and Vanhoof, K. Benchmarking road safety: Lessons to learn from a data envelopment analysis. Accident Analysis and Prevention, 41(1): 174-182,2009.
- [74] Chauhan, N., Mohapatra, P., and Pandey, K. Improving energy productivity in paddy production through benchmarking-An application of data envelopment analysis. Energy Conversion and Management, 47(9-10): 1063-1085, 2006.
- [75] WeixinYang, Lingguang, Efficiency evaluation of industrial waste gas control in China: A study based on data envelopment analysis (DEA) model, Journal of Cleaner Production, 179, 1-11, October 2017, https://doi.org/10.1016/j.jclepro.2017.12.277.
- [76] Chen J,Song M, Xu L.Evaluation of environmental efficiency in China using data envelopment analysis. Ecological Indicators;52:577–83, 2015.
- [77] Sueyoshi T, Wang D. Radial and non-radial approaches for environmental assessment by data envelopment analysis: Corporate sustainability and effective investment for technology innovation. Energy Economy, 45:537–51; 2014.
- [78] Li M, Wang Q. International environmental efficiency differences and their determinants. Energy 78:411–20, 2014.
- [79] Iribarren D, Hospido A, Moreira MT, Feijoo G. Benchmarking environmental and operational parameters through eco-efficiency criteria for dairy farms. Science for Total Environment, 409:1786–98, 2011.
- [80] Sueyoshi T, Goto M, Sugiyama M. DEA window analysis for environmental assessment in a dynamic time shift: performance assessment of U.S. coal-fired power plants. Energy Economy 40:845–57, 2013. Doi 10.1016/j.eneco.2013.09.020
- [81] Cui Q, Kuang H-b, Wu C-y LiY. The changing trend and influencing factors of energy efficiency: the case of nine countries. Energy 64:1026–34, 2014.
- [82] Mallikarjun S, Lewis HF. Energy technology allocation for distributed energy resources: a strategic technology-policy framework. Energy72:783–99, 2014.
- [83] Sueyoshi T, Wang D. Sustainability development for supply chain management in U.S. petroleum industry by DEA environmental assessment. Energy Econ, 46:360–74, 2014.
- [84] Blokhuis E, Advokaat B, Schaefer W. Assessing the performance of Dutch local energy companies. Energy Policy, 45:680–90, 2012.
- [85] Zografidou E, Petridis K, Arabatzis G, Dey PK. Optimal design of the renewable energy map of Greece using weighted goal-programming and data envelopment analysis. Computer Operation Research,66,313-326,2016.
- [86] Zhou haibo, yang yi, chenyao, zhu joe, data envelopment analysis application in sustainability:the origins development future directions, European journal of operation research,264(1), 1-15,June2017. https://doi.org/10.1016/j.ejor.2017.06.023.
- [87] Roy, Bernard, "Classement etchoixenprésence de points de vue multiples (la méthode ELECTRE)". La Revue d'Informatiqueet de RechercheOpérationelle (RIRO) (8): 57–75, 1968.
- [88] P. Bertier, G. Gagey, J. de Montgolfier, and B. Roy. Choix de trac'esautoroutiersen milieu suburbain :Faut-ilvraimentendommager des sites urbains et/ouforestiers, lesquels? Communication aux journ'ees de formation "transports et agglom'erations", Nice, 1972.
- [89] J. Hugonnard and B. Roy. Le plan d'extension du m'etroenbanlieueparisienne, uncas type d'application de l'analysemulticrit`ere. Les Cahiers Scientifiques de la Revue Transports, 6:77–108, 1982.
- [90] Anand Raj, P.A., & Kumar, D.N., Ranking of river basinalternatives using ELECTRE. Hydrological Sciences, 41(5),697-713, 1996.
- [91] Macary, F., Ombredane, D., &Uny, D.A multicriteriaspatial analysis of erosion risk into small watersheds in thelow Normandy bocage (France) by ELECTRE III method coupled with a GIS. International Journal of Multi criteria Decision Making, 1(1), 25–48, 2010.
- [92] Rogers, M., Using Electre III to aid the choice of housing construction process within structural engineering. Construction Management and Economics, 18(3), 333–342,2000.
- [93] Edwards, W.; Barron, F. H. "SMARTS and SMARTER: Improved Simple Methods for Multi-attribute Utility Measurement". Organizational Behavior and Human Decision Processes. 60 (3): 306-325,1994.
- [94] Edwards, W. "How to use multiattribute utility measurement for social decision making". IEEE Transactions on Systems, Man and Cybernetics. 7: 326–340,1977. doi:10.1109/tsmc.1977.4309720.
- [95] J.P.Brans & P.Vincke," A preference ranking organization method: The PROMETHEE method for MCDM". Management Science, 31(6),647-656,1985.
- [96] Brans, J.-P. and B. Mareschal, PROMETHEE methods. Multiple criteria decision analysis: state of the art surveys, Springer-veRLAG New York:163-186, 2005.
- [97] Behzadian, M., Kazemzadeh, R., Albadvi, A., and Aghdasi, M. PROMETHEE: A comprehensive literature review on methodologies and applications. European Journal of Operational Research, 200(1):198-215,2010.
- [98] R.Sarrazin, Y.De Smet J.Rosenfeld, An extension of PROMETHEE to interval clustering, Omega, September 2017, https://doi.org/10.1016/j.omega.2017.09.001.
- [99] Zhou, Y., Vairavamoorthy, K., & Grimshaw, F., Development of a Fuzzy based pipe condition assessment model using PROMETHEE. World environmental and water resources congress, Kansas City, Missouri, USA, 4809–4818, 2009.
- [100] Abu-Taleb,M.F.,&Mareschal,B.,Water resources planning in the middle East: Application of the PROMETHEE V multicriteria method. European Journal of Operational Research, 81(3), 500–511, 1995.
- [101] Anagnostopoulos, K.P., Petalas, C., &Pisinaras, V., Water resources planning using the AHP and PROMETHEE multi criteria methods: The case of NESTOS River-GREECE. Proceedings of 7th Balkan conference on operational research (BACOR). Constanta, Romania. 2005
- [102] Balali, V., Zahraie, B., Hosseini, A., & Roozbahani, A., Selecting the appropriate structural system by application of PROMETHEE decision making method. Proceedings of 2ndIEEE international conference on system engineering and application, Sharjah, UAE, 1–6, 2010.



- [103] Chou, T.Y., Lin, W.T., Lin, C.Y., & Chou, W.C., Application of fuzzy theory and PROMETHEE technique to evaluate suitable eco technology method: A case study in Shihmen Reservoir Watershed, Taiwan. Ecological Engineering, 31(4), 269–280,2007.
- [104] RudolfVetschera Adiel Teixeirade Almeida, A PROMETHEE-based approach to portfolio selection problems, Computers & Operations Research, 39(5), 1010-1020, May 2012.https://doi.org/10.1016/j.cor.2011.06.019
- [105] A Charnes, WW Cooper, R Ferguson, Optimal estimation of executive compensation by linear programming, Management Science, 1,138-151,1955.
- [106] Ana Paula dos SantosRubem, João Carlos C.B.Soares de Mello, LidiaAngulo Meza, A goal programming approach to solve the multiple criteria DEA model, European Journal of Operational Research, 260(1), 134-139, December 2016. https://doi.org/10.1016/j.ejor.2016.11.049.
- [107] Mukherjee, K.,and Bera, A.,Application of goal programming in project selection decision, A case study from the Indian Coal mining industry. European Journal of Operational Research, 82(1): 18-25,1995.
- [108] Romero, C., A survey of generalized goal programming. European Journal of Operational Research, 25(2):183-191,1986.
- [109] ZishuoHuang, HangYu, XiangyangChu, ZhenweiPeng, A goal programming based model system for community energy plan, Energy,134, 893-901, June 2017. https://doi.org/10.1016/j.energy.2017.06.057.
- [110] ManuelDíaz-Madroñero, ModestoPérez-Sánchez, José R.Satorre-Aznar, JosefaMula, P. AmparoLópez-Jiménez, Analysis of a wastewater treatment plant using fuzzy goal programming as a management tool: A case study, Journal of Cleaner Production,180(10) 20-33, January 2018. https://doi.org/10.1016/j.jclepro.2018.01.129.
- [111] LinChen, JinPeng, BoZhang, Uncertain goal programming models for bicriteria solid transportation problem, Applied Soft Computing, 51, 49-59, February 2017. https://doi.org/10.1016/j.asoc.2016.11.027
- [112] EleniZografidou, KonstantinosPetridis, Nikolaos E.Petridis, GaryfallosArabatzis, A financial approach to renewable energy production in Greece using goal programming, Renewable Energy, 37-51,108, August 2017. https://doi.org/10.1016/j.renene.2017.01.044.
- [113] AntónioXavier, Maria de BelémCosta Freitas, RuiFragosoMaria do SocorroRosário, A regional composite indicator for analysing agricultural sustainability in Portugal: A goal programming approach, Ecological Indicators,89,84-100,Feburary 2018, https://doi.org/10.1016/j.ecolind.2018.01.048.
- [114] KananK.Patro, M.M.Acharya, M.P.Biswal, SrikumarAcharya, Computation of a multi-choice goal programming problem, Applied Mathematics and Computation, 271, 489-501, October 2015. https://doi.org/10.1016/j.amc.2015.09.030
- [115] DylanJones, HeleniceFlorentino, DanielaCantaneRogerioOliveira, An extended goal programming methodology for analysis of a network encompassing multiple objectives and stakeholders, European Journal of Operational Research, 255(3), 845-855, May 2016. https://doi.org/10.1016/j.ejor.2016.05.032.
- [116] Ching-TerChang, Multi-choice goal programming model for the optimal location of renewable energy facilities, Renewable and Sustainable Energy Reviews,41,379-389,January 2015.https://doi.org/10.1016/j.rser.2014.08.055
- [117] A.L.D.AugustynczikJ.E. ArceA.C.L.Silva, Aggregating forest harvesting activities in forest plantations through Integer Linear Programming and Goal Programming, Journal of Forest Economics, 24,72-81, August 2016. https://doi.org/10.1016/j.jfe.2016.06.002
- [118] BelaidAouni, CinziaColapinto, DavideLa Torre, Financial portfolio management through the goal programming model:Current state-of-the-art,European Journal of Operational Research,234(2),536-545,April 2014.https://doi.org/10.1016/j.ejor.2013.09.040.
- [119] O.Jadidi, S.Cavalieri, S.Zolfaghari, An improved multi-choice goal programming approach for supplier selection problems, Applied Mathematical Modelling, 39(14), 4213-4222, July 2015. https://doi.org/10.1016/j.apm.2014.12.022
- [120] Hwang C L, Y. K.Multiple attribute decision making:methods and applications:a state-of-the-art survey, Springer-Verlag New York. 1981
- [121] Hwang, C.-L., Y.-J. Lai and T.-Y. Liu"A new approach for multiple objective decision making."Computers & operations research, 20(8), 889-899, 1993.
- [122] Lai, Y.-J., T.-Y. Liu and C.-L. Hwang, "TOPSIS for MODM." European Journal of Operational Research, 76(3): 486-500, 1994.
- [123] MohitDeswal, S.K. Garg, Application Of Topsis: A Multiple Criteria Decision Making Approach In Supplier Selection, International Journal of Advanced Technology in Engineering and Science, 3(11), 303-307, November 2015.
- [124] Ic, Y., An experimental design approach using TOPSIS method for the selection of computer-integrated manufacturing technologies. Robotics and Computer-Integrated Manufacturing, 28(2),245-256,2012.
- [125] MasumaMammadova, ZarifJabrailova, Sabina Nobari, Application of TOPSIS method in decision-making support of personnel management problems, <u>Problems of Cybernetics and Informatics (PCI), Proceeding of IV International Conference 2012, 28 March 2013, 10.1109/ICPCI.2012.6486485.</u>
- [126] M. Monjezi, H. Dehghani, T. N. Singh, A. R. Sayadi, A. Gholinejad, Application of TOPSIS method for selecting the most appropriate blast design, Arabian Journal of Geosciences, 5(1), 95–101, January 2012. https://doi.org/10.1007/s12517-010-0133-2.
- [127] MaoNing, SongMengjie, DengShiming, Application of TOPSIS method in evaluating the effects of supply vane angle of a task/ambient air conditioning system on energy utilization and thermal comfort, Applied Energy,180,536-545,October 2016.https://doi.org/10.1016/j.apenergy.2016.08.011.
- [128] Afshar, A., Marino, M.A., Saadatpour, M., &Afshar, A,Fuzzy TOPSIS multicriteria decision analysis applied to Karun reservoirs system. Water Resources Management, 25(2), 545–563, 2011.
- [129] Awasthi, A., Chauhan, S.S., & Omrani, H. Application of fuzzy TOPSIS in evaluating sustainable transportation systems. Expert Systems with Applications, 38(10), 12270–12280, 2011.
- [130] Liaudanskiene, R., Ustinovicius, L., & Bogdanovicius, A., Evaluation of construction process safety solutions using the TOPSIS method. Inzinerine Ekonomika-Engineering Economics,64(4),32–40,2009.
- [131] Moghaddam, M.R.S., Yavari, A., Ghariblu, F., & Anbari, Y.(). Ranking of strategic management indicators in improvement of urban management by using multiple attribute decision method of TOPSIS. Applied Mechanics and Materials, 99–100, 524–530,2011.
- [132] <u>JianyuChuabYoupoSu</u>, The Application of TOPSIS Method in Selecting Fixed Seismic Shelter for Evacuation in Cities, <u>Systems Engineering Procedia</u>,3,391-397,2012.https://doi.org/10.1016/j.sepro.2011.10.061.
- [133] Kambiz SHAHROUDI S.Maryam Shafaei Tonekaboni, Kambiz ShahroudiS. MaryamShafaeiTonekaboni, Journal of Global Strategic Management,6(2),123-131, December-2012.DOI: 10.20460/JGSM.2012615779.
- [134] Ali Yousefi,MohdSanusi S. Ahamad &Taksiah A. Majid, Application of TOPSIS method in prioritization of highway bridges for seismic retrofitting,Engineering structures and technology,6(3),114-123, 2014.https://doi.org/10.3846/2029882X.2014.980853
- [135] Berna (Kiran) Bulgurcu, Application of TOPSIS Technique for Financial Performance Evaluation of Technology Firms in Istanbul Stock Exchange Market, Procedia Social and Behavioral Sciences 62,1033 1040,2012.



- [136] AtulShukla, Pankaj Agarwal, R.S. Rana, Rajesh Purohit, Applications of TOPSIS Algorithm on various Manufacturing Processes: A Review, Materials Today Proceedings, 4(4), Part D, 5320-5329, 2017.
- [137] Opricovic, S., Multicriteria Optimization of Civil Engineering Systems. Ph.D. thesis Faculty of Civil Engineering, Belgrade, 1998.
- [138] Anvari, A.; Zulkifli, N.; Arghish, O. Application of a modified VIKOR method for decision-making problems in lean tool selection. International Journal of Advance Manufacturing Technology.71,829–841,2014.
- [139] Vinodh, S.; Sarangan, S.; Vinoth, S.C. Application of fuzzy compromise solution method for fit concept selection. Applied Mathematics Model.38,1052–1063,2014.
- [140] Chatterjee, P.; Athawale, V.M.; Chakraborty, S. Selection of industrial robots using compromise ranking and outranking methods. Robot. Computer Integrated Manufacuring, 26,483–489,2010.
- [141] Parameshwaran, R.; Praveen Kumar, S.; Saravanakumar, K. An integrated fuzzy MCDM based approach forrobot selection considering objective and subjective criteria. Applied Soft Computer, 26, 31–41, 2015.
- [142] Wang, C.-H.; Wu, C.-W. Combining conjoint analysis with Kano model to optimize product varieties of smart phones: A VIKOR perspective. Journal of Industrial Production Engineering, 31,177–186, 2014.
- [143] Abbasianjahromi, H.; Rajaie, H.; Shakeri, E. A framework for subcontractor selection in the construction industry. Journal of Civil Engineering Management, 19,158–168, 2013.
- [144] Toší c, N.; Marinkovi c, S.; Daší c, T.; Stani c, M. Multicriteria optimization of natural and recycled aggregate concrete for structural use. Journal of Cleaning Production.87,766–776,2015.
- [145] Vahdani, B.; Mousavi, S.M.; Hashemi, H.; Mousakhani, M.; Tavakkoli-Moghaddam, R. A new compromise solution method for fuzzy group decision-making problems with an application to the contractor selection. Engineering Applied Artificial Intelligence, 26,779–788, 2013.
- [146] Bashiri, M.; Mirzaei, M.; Randall, M. Modeling fuzzy capacitated p-hub centre problem and a genetic algorithm solution. Applied Mathematic Model,37,3513-3525,2013.
- [147] Liu, H.-C.; Wu, J.; Li, P. Assessment of health-care waste disposal methods using a VIKOR-based fuzzy multi-criteria decision making method. Waste Management, 33,2744–2751, 2013.
- [148] Chang, T.-H. Fuzzy VIKOR method: A case study of the hospital service evaluation in Taiwan. Informatics' Science, 271, 196–212, 2014.
- [149] Zeng, Q.-L.; Li, D.-D.; Yang, Y.-B. VIKOR method with enhanced accuracy for multiple criteria decision making in healthcare management. Journal of Medical System, 37,1–9,2013. https://doi.org/10.1007/s10916-012-9908-1
- [150] Rostamzadeh, R.; Govindan, K.; Esmaeili, A.;Sabaghi, M. Application of fuzzy VIKOR for evaluation of green supply chain management practices. Ecological Indicator, 49,188–203, 2015.
- [151] Geng, X.; Liu, Q. A hybrid service supplier selection approach based on variable precision rough set and VIKOR for developing product service system. International Journal of Computer Integrated Manufacturing, 28, 1063–1076, 2014.
- [152] Sarrafha, K.; Rahmati, S.H.A.; Niaki, S.T.A.; Zaretalab, A. A bi-objective integrated procurement, production and distribution problem of a multi-echelon supply chain network design: A new tuned MOEA.Computer Operation Research, 54,35–51,2015.
- [153] Tsai, W.-H.; Chou, W.-C.; Lai, C.-W. An effective evaluation model and improvement analysis for national park websites: A case study of Taiwan. Touriste Management. 31.936–952.2010.
- [154] Liu, C.-H.; Tzeng, G.-H.; Lee, M.-H.; Lee, P.-Y. Improving metro–airport connection service for tourism development: Using hybrid MCDM models. Tourist Management Perspective, 6,95–107, 2013.
- [155] Kaya, T.; Kahraman, C. Multicriteria renewable energy planning using an integrated fuzzy VIKOR and AHP methodology:The case of Istanbul.Energy,35,2517–2527,2010.
- [156] San Cristóbal, J. Multi-criteria decision-making in the selection of a renewable energy project in spain: The Vikor method. Renewable Energy, 36,498–502,2011.
- [157] Vucʻijak, B.; Kupusovic', T.; Midžic'-Kurtagic', S.; C' eric', A. Applicability of multicriteria decision aid to sustainable hydropower. Applied Energy, 101, 261–267, 2013.
- [158] Quijano, H.R.; Botero, B.S.; Domínguez, B.J. MODERGIS application: Integrated simulation platform topromote and develop renewable sustainable energy plans, Colombian case study. Renew. Sustainable Energy Revolution, 16,5176–5187,2012.
- [159] Tzeng, G.-H.; Tsaur, S.-H.; Laiw, Y.-D.; Opricovic, S. Multicriteria analysis of environmental quality in Taipei:Public preferences and improvement strategies. Journal of Environmental Management,65,109–120,2012.
- [160] Martin-Utrillas, M.; Juan-Garcia, F.; Canto-Perello, J.; Curiel-Esparza, J. Optimal infrastructure selection to boost regional sustainable economy. International Journal of Sustainable Development World Ecology, 22,30–38,2015.
- [161] Opricovic, S. A compromise solution in water resources planning. Water Resource Management, 23,1549-1561, 2009.
- [162] Milojkovic, I., & Andric, S., VIKOR method for asset management in Serbian Belgrade wastewater services. Proceedings of the tenth international conference on computing and control for the water industry (CCWI) Sheffield, UK,741-747,2009.
- [163] Opricovic, S., Fuzzy VIKOR with an application to water resources planning. Expert Systems with Applications, 38(10), 12983–12990, 2011.
- [164] Ou Yang, Y.-P.; Shieh, H.-M.; Leu, J.-D.; Tzeng, G.-H. A VIKOR-based multiple criteria decision method for improving information security risk. International Journal of Information Technology Decision Making,8,267–287,2009.
- [165] Emovon, I.; Norman, R.A.; Murphy, A.J.; Pazouki, K. An integrated multicriteria decision making methodology using compromise solution methods for prioritising risk of marine machinery systems. Ocean Engineering, 105, 92–103, 2015.
- [166] Chen, Y., Okudan, G., and Riley, D., Decision support for construction method selection in concrete buildings: Prefabrication adoption and optimization. Automation in Construction, 19(6), 665-675, 2010.
- [167] Churchman, C. W. and R. L. Ackoff, "An approximate measure of value." Journal of the Operations Research Society of America, 2(2), 172-187, 1954.
- [168] AlirezaAfshari, Majid Mojahed and RosnahMohdYusuff, Simple Additive Weighting approach to Personnel Selection problem, International Journal of Innovation, Management and Technology,1(5),511-515,December 2010.



- [169] AlirezaAfshari, Majid Mojahed and RosnahMohdYusuff, Simple Additive Weighting approach to Personnel Selection problem, International Journal of Innovation, Management and Technology,1(5),511-515,December 2010.
- [170] Adriyendi, Multi-Attribute Decision Making Using Simple Additive Weighting and Weighted Product in Food Choice, International Journal of Information Engineering and Electronic Business, 6,8-14, November 2015. DOI:10.5815/ijieeb.2015.06.02.
- [171] Ali Reza Afshari, M. MojahedAndRosnahMohd. Yusuff, Simple Additive Weighting Approach To Personnel Selection Problem, <u>International Journal of Innovation and Technology Management</u>,1(5),511-515,December 2010.
- [172] I. G. Akhmetova, N. D. Chichirova, Application of SAW method for multiple-criteria comparative analysis of the reliability of heat supply organizations, Thermal Engineering, 63(14)1016–1024, December 2016.
- [173] Bridgman PW. Dimensional analysis. New Haven, CT, U.S.A: Yale University Process; 1922.
- [174] Miller DW, Starr MK. Executive Decisions and Operations Research. Englewood Cliffs, NJ:Prentice-Hall; 1969.
- [175] Triantaphyllou E, Mann SH. An examination of the effectiveness of multi-dimensional decision-making methods: A decision-making paradox. Decision Support Systems, 5, 303-312, 1989.
- [176] Chu, A. T. W., R. E. Kalaba and K. Spingarn,"A comparison of two methods for determining the weights of belonging to fuzzy sets. "Journal of Optimization Theory and Applications, 27(4), 531-538, 1979.
- [177] Crawford, G. and C. Williams, "A note on the analysis of subjective judgment matrices." Journal of Mathematical Psychology, 29(4), 387-405, 1985.
- [178] Fontela, E., &Gabus, A., DEMATEL, innovative methods. Structural analysis of the world problematique, Battelle Geneva Research Institute. 2,1974.
- [179] Bana e Costa, C. A. B. and J.-C. Vansnick,"MACBETH-An Interactive Path Towards the Construction of Cardinal Value Functions."International Transactions in Operational Research,1(4),489-500,1994.
- [180] Athanasios Kolios, Varvara Mytilinou, Estivaliz Lozano-Minguez and Konstantinos Salonitis, Comparative Study of Multiple-Criteria Decision-Making Methods under Stochastic Inputs, Energies, 9,566,1-21,2016. doi:10.3390/en9070566.
- [181] Azadeh, A., Ghaderi, S. F., &Izadbakhsh, H.,Integration of DEA and AHP with computer simulation for railway system improvement and optimization. Applied Mathematics and Computation, 195,775–785,2008.
- [182] IkuobaseEmovon, Rosemary A.Norman Alan J.Murphy, An integration of multi-criteria decision making techniques with a delay time model for determination of inspection intervals for marine machinery systems, Applied Ocean Research, 59, 65-82, September 2016. https://doi.org/10.1016/j.apor.2016.05.008.
- [183] SenemSeyis EsinErgen, A decision making support tool for selecting green building certification credits based on project delivery attributes, Building and Environment, 126, 107-118, December 2017. https://doi.org/10.1016/j.buildenv.2017.09.028.
- [184] GrażynaŁaska, Wind Energy and Multi-criteria Analysis in Making Decisions on the Location of Wind Farms, Procedia Engineering, 182,418-424,2017.https://doi.org/10.1016/j.proeng.2017.03.126.
- [185] Marco A.Jano-Ito, Douglas Crawford-Brown, Investment decisions considering economic, environmental and social factors: An actors' perspective for the electricity sector of Mexico, Energy, 121, 92-106, January 2017. https://doi.org/10.1016/j.energy.2017.01.016.
- [186] Kabir, G., &Hasin, M.A.A.Integrating modified Delphi method with Fuzzy AHP for optimal power substation location selection. International Journal of Multicriteria Decision Making, 3(4), 381-398, 2013. https://doi.org/10.1504/IJMCDM.2013.056654
- [187] Kabir, G., &Hasin, M.A.A.,Integrating fuzzy AHP with TOPSIS method for optimal power substation location selection. International Journal of Logistics Economics and Globalisation,5(4),312-331,2013.https://doi.org/10.1504/IJLEG.2013.059166
- [188] Kabir, G., &Hasin, M.A.A., Multi-criteria inventory classification through integration of fuzzy analytic hierarchyprocess and artificial neural network. International Journal of Industrial and System Engineering, 14(1),74–103,2013.
- [189] Kabir, G., & Sumi, R.S., Selection of concrete production facility location integrating fuzzy AHP with TOPSIS method. International Journal of Productivity Management and Assessment Technologies, 1(1), 40–59, 2012a.
- [190] Kabir, G., & Sumi, R.S.,Integrating modified Delphi with fuzzy AHP for concrete production facility locationselection. International Journal of Fuzzy System Applications, 3(3),1-14,2013.
- [191] Kaya, T., &Kahraman, C. (2011). Fuzzy multiple criteria forestry decision making based on an integrated VIKOR and AHP approach. Expert Systems with Applications, 38(6), 7326–7333.
- [192] Shaher H. Zyoud*, Daniela Fuchs-Hanusch, A bibliometric-based survey on AHP and TOPSIS techniques, Expert Systems With Applications 78 (2017) 158–181.
- [193] Evren Can Özcan , Sultan Ünlüsoy , Tamer Eren, A combined goal programming AHP approach supported with TOPSIS for maintenance strategy selection in hydroelectric power plants, Renewable and Sustainable Energy Reviews, Volume 78, October 2017, Pages 1410-1423, https://doi.org/10.1016/j.rser.2017.04.039
- [194] Pravin Kumar, Rajesh K. Singh, KarishmaKharab, A comparative analysis of operational performance of Cellular Mobile Telephone Service Providers in the Delhi working area using an approach of fuzzy ELECTRE, Applied Soft Computing, 59,438-447, October 2017, https://doi.org/10.1016/j.asoc.2017.06.019.
- [195] Ahmed AlamiMerrounia, b, FakhreddineElwaliElalaouic, AbdellatifGhenniouib, Ahmed Mezrhaba, AbdelhamidMezrhabc, A GIS-AHP combination for the sites assessment of large scale CSP plants with dry and wet cooling systems. Case study: Eastern Morocco, Solar Energy, 166,2–12, March 2018, Pages, https://doi.org/10.1016/j.solener.2018.03.038.
- [196] BaharSennaroglu ,Gulsay VarlikCelebi, A military airport location selection by AHP integrated PROMETHEE and VIKOR methods, Transportation Research Part D:Transport and Environment,59,160-173,January 2018. https://doi.org/10.1016/j.trd.2017.12.022.
- [197] Aijun Yan , Kuanhong Zhang , Yuanhang Yu , Pu Wang, An attribute difference revision method in case-based reasoning and its application, Engineering Applications of Artificial Intelligence,65,212-219,October 2017. https://doi.org/10.1016/j.engappai.2017.07.015.
- [198] Liyin Shen, Hang Yan, Hongqin Fan, Ya Wu, Yu Zhang, An integrated system of text mining technique and case-based reasoning (TM-CBR) for supporting green building design, Building and Environment, 124, 388-401, 2017.
- [199] J.M. Sánchez-Lozano, M.S. García-Cascales, M.T. Lamata, Comparative TOPSIS-ELECTRE TRI methods for optimal sites for photovoltaic solar farms. Case study in Spain, Journal of Cleaner Production, 127, 387-398, July 2016. https://doi.org/10.1016/j.jclepro.2016.04.005



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 6.887 Volume 6 Issue V, May 2018- Available at www.ijraset.com

- [200] PornwasinSirisawat, TossapolKiatcharoenpol, Fuzzy AHP-TOPSIS approaches to prioritizing solutions for reverse logistics barriers, Computers & Industrial Engineering, 117, 303–318, 2018.
- [201] Anjali Awasthi and Satyaveer S Chauhan, "A hybrid approach integrating Affinity Diagram, AHP and fuzzy TOPSIS for sustainable city logistics planning," Applied Mathematical Modelling, 36,573-584, 2012.
- [202] F. C.-G. Pablo Aragonés-Beltrán, Juan-Pascual Pastor-Ferrando and Andrea Pla-Rubio, "An AHP (Analytic Hierarchy Process)/ANP (Analytic Network Process)-based multi-criteria decision approach for the selection of solar-thermal power plant investment projects," Energy, 66,222-238, 2014.

915









45.98



IMPACT FACTOR: 7.129



IMPACT FACTOR: 7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call: 08813907089 🕓 (24*7 Support on Whatsapp)